# **TUNGSRAM**<sup>™</sup>

Innovation is our heritage EST. 1896





# Product information

T5 LongLast<sup>™</sup> lamps are triphosphor fluorescent lamps with 16mm outer diameter (5/8 of an inch). These lamps feature "Starcoat<sup>™</sup> Technology" that delivers high quality triphosphor performance. GE produces two ranges of T5 LongLast<sup>™</sup> lamps in 4 different lengths:

- High Efficiency offering high lumens per watt
- High Output offering improved lumen package

#### Application areas


Education

A Retail

61101



) Industrial



# Product data

Product Code	61101
Bulb Shape	Tubular
Bulb Diameter [mm]	16
Bulb maximum overall diameter [mm]	16
Cap to Cap Length (Max) [mm]	1449
Net weight per piece [g]	125
Gross weight per piece [g]	160
Mercury Content [mg]	2.5
UV radiance	Exempt
Brand	GE Lighting
Cap/Base	G5

# Performance data

Colour Code	835
Rated Lumens [lm]	3650
Lumen at 25°C [lm]	3320
Weighted energy consumption [kWh/1000h]	39.05
Rated efficacy [lm/W]	105
Energy efficiency class (EEC)	A+
Rated Life [h]	30000
Rated median life on electronic (HF / ECG) ballast on IEC 12-hour cycle	36000
Rated median life on electronic (HF / ECG) ballast on IEC 3-hour cycle	30000
Nominal correlated colour temperature (CCT) [K]]	3500
Nominal lumens [lm]	3650
Colour Rendering Index (CRI) [Ra]	85

# **Electrical data**


Rated power [W]	35.5
Design Ambient Temperature [°C]	35
Design Lamp ambient temperature [°C]	35
Starting ambient temperature range	-15
Dimming Capability	Yes
Nominal power [W]	35.0

# Logistic data


DUN Code	10043168611012
EAN Code	0043168902595
Pack Quantity	30
Inner pack type	SLEEVE
Outer pack type	OUTER BOX
Layer quantity	210 Special
Pallet quantity EUR (PC)	1520
Pallet quantity UK (PC)	2000
Outer case size	1490 x 120 x 102 (mm)
Product status	Available

#### T5 LongLast<sup>™</sup> - High Efficiency, G5 Cap FT5/35W/835/GE/LL/SL1/30 61101

# Technical drawing




### Lumen maintenance data




# **TUNGSRAM**<sup>®</sup>

# Survival data



# Service life data



### Downloads & Links

Go to the catalog site (HTTP) Linear Fluorescent Lamps Catalogue (PDF) LFL T5 LongLast™ Lamps - Data sheet (EN) (PDF) Lighting design tools & calculators (HTTP) LFL Lamps Spectrum Catalogue (EN) (PDF) LFL T5 LongLast™ Lamps - Data sheet (EN) (PDF) Lighting design tools & calculators (HTTP) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.