

Motion detector

# IS 2360 ECO

EAN 4007841 006556

**STEINEL**<sup>®</sup>  
PROFESSIONAL



infrared sensor  
360°



8 sec - 35 min



energy saving

**5** JAHRE  
HERSTELLER  
GARANTIE

manufacturer's  
warranty  
steinel-professional.de/garantie



CE

## Function description

Elegant. Compact. Inconspicuous. IS 2360 ECO precision infrared surface-mounted sensor. Ideal for porches and small rooms. 360° angle of coverage, 160° angle of aperture and 7 m reach. Includes shrouds for customising the detection zone. Passive infrared sensor technology. Easy to install. Finish colour: white.

## Technical specifications

Type	Motion detectors
Dimensions (Ø x H)	115 x 50 mm
Mains power supply	230 V / 50 – 60 Hz
Sensor Technology	passive infrared
Application, place	Outdoors, Indoors
Application, place, room	corridor / aisle, changing room, function room / ancillary room, kitchenette, stairwell, WC / washroom, multi-storey / underground car park, outdoors, warehouse, indoors
Installation site	ceiling
Type of installation	Surface wiring
Switching zones	664 switching zones
Electronic scalability	No
Mechanical scalability	No
Mounting height	2,00 – 4,00 m
Optimum mounting height	2,8 m
Detection angle	360 °
Angle of aperture	180 °
Sneak-by guard	Yes
Reach, radial	Ø 3 m (7 m²)
Twilight setting TEACH	No

Twilight setting	2 – 2000 lx
Time setting	8 s – 35 Min.
Switching output 1, resistive	2000 W
Switching output 1, number of LEDs / fluorescent lamps	6 pcs.
Constant-lighting control	No
Basic light level function	No
With remote control	No
Interconnection	Yes
Type of interconnection	Master/master
IP rating	IP54
Material	Plastic
Ambient temperature	-20 – 50 °C
Colour	white
Colour, RAL	9010
IDs, certificates	VDE
Manufacturer's Warranty	5 years
PU1, EAN	4007841006556

<https://www.steinell.de>


Motion detector

# IS 2360 ECO

EAN 4007841 006556


**STEINEL**<sup>®</sup>  
PROFESSIONAL

## Detection Zone



Mögliche Montagehöhe: 2,00 m – 4,00 m  
Orange: radial  
Schwarz: tangential

## Dimension Drawing



## Circuit diagram

