

GP Design

PRODUCT SPECIFICATION

GP Design Prosumer Flashlight Model : P55

Revision History

Revision	Date	Initiator	Reason for Change
1.0	9 th Nov 2016	Wilfred Kong	Preliminary release

Prepared By	Approved By
Wilfred Kong	Wilfred Kong
Date: 10 th Nov 2016	Date: 11 th Nov 2016

GPI International Limited

Email: gpii@goldpeak.com
Website: <http://www.gpbatteries.com>

GP Design

Product Specification


Model no.: **P55**



Front view



Rear view



Product Name	: GP Design Prosumer Flashlight – Multi-purpose Pro
Lumen output*	: 400 – 20 lm (+/- 15%)
Candela*	: 4850 cd (+/- 15%)
Beam Distance*	: 135 m (+/- 15%)
Runtime*	: 100%: 1 h 30 m, 40%: 5 h 15 m, 5%: 48 h (+/- 15%)

LED Chips	: Cree XP-G2
Battery type	: 4 x AAA (Alkaline / NiMH)
Focus	: Yes + focus lock
Switch	: Dual switch: main button + mode button
Light mode	: 1. On-Off 2. 3 light settings <ul style="list-style-type: none">• Multi-purpose: 100% - 40% - 5%• Camping/outdoors: 5% - 40% - 100%• Tactical: 100%

GPDesign

Product Specification

Model no.: **P55**

Light mode	: 3. Strobe 4. Momentary-on
IP rate*	: IPX-4, water resistant
Shock proof*	: Impact resistant, 1.5 m
Dimensions	: 129.7 (L) x 39.5 (D) mm
Weight	: 149g +/- 7g (without battery)
Accessories Included	: Lanyard, Pouch, O-ring x 2, 4 x AAA (GP24AU)
Certification	: CE, ROHS
Warranty Period	: 12 months from ex-factory date

*Per ANSI FL1 Standard