



300Mbps Wireless N 4G LTE Router

Stable 4G LTE Connection
Wide Wi-Fi Coverage



MR920



4G LTE/3G
Compatible



300Mbps
Wi-Fi Speed




WAN Connection
Backup



SIM Card
Plug & Play

High Speed 4G LTE Speed with Reliable Wi-Fi

The MR920 uses 4G LTE technology to achieve up to 150Mbps download and 50Mbps upload speed. It also shares a Wi-Fi network with maximum speed of 300Mbps on 2.4GHz for gaming, streaming, and more.




Designed for Maximum Coverage

With two high gain external 4G LTE antennas make efficient and stable connections to every device, creating a wide-coverage Wi-Fi network for your home.




SIM Card Plug-and-Play

Simply insert your SIM card into the built-in slot, turn on and start surfing!



WAN Connection Backup

With a fully functional WAN/LAN port, enjoy a variety of backup connection types, including cable, fiber, and DSL modems.



Specifications :

Hardware

- **Ports:** 1 x 100 Mbps LAN/WAN Port, 2 x 100 Mbps LAN Port, 1 x SIM Card Slot
- **Button:** Power Button, Reset Button, WPS Button
- **LED:** Network LED, Power LED
- **External Power Supply:** 12V / 1A Power Adapter or 5V / 2A Micro USB Power Supply
- **Antenna:** 2x High Gain External 4G LTE Antennas
2x 8dBi Internal Wi-Fi Antennas

Wireless

- **Network Type:**
4G: FDD-LTE: B1/B3/B7/B8/B20/B28
(2100/1800/2600/900/800/700MHz)
TDD-LTE: B38/B40/B41 (2600/2300/2500MHz)
3G: DC-HSPA+/HSPA/UMTS: B1/B8(2100/900MHz)
- **Wireless Standards:** IEEE 802.11b/g/n 2.4GHz
- **Frequency:** 2.4GHz
- **Wireless Speed:** Up to 300Mbps at 2.4GHz
- **Transmit Power:** <27dBm (2.4GHz)
- **Reception Sensitivity:**
11g 54Mbps: -74dBm;
11n HT20 MCS7: -71dBm;
11n HT40 MCS7: -67dBm;
- **Wireless Security:** Support WPA-PSK/WPA2-PSK, Wireless MAC Filtering, Enable/Disable SSID Broadcast
- **WAN Connection Mode:** DHCP, PPPoE, Static IP
- **DHCP:** Server, Client, DHCP Client List

Others

- **Certification:** CE, RoHS
- **System Requirements:**
Windows 10/8/7/Vista/XP, Mac OS, Android, iOS
- **Environment:**
Operating Temperature: 0~40 Celsius
Storage Temperature: -40~70 Celsius
Operating Humidity: 10%~90% non-condensing
Storage Humidity: 5%~90% non-condensing
- **Package Contents:**
300Mbps Wireless N 4G LTE Router MR920
Power Adapter
RJ45 Ethernet Cable
Quick Installation Guide

Specifications are subject to change without notice. Copyright © 2020 Shenzhen Quantum Electronic Co., Ltd. All rights reserved.

* Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.